

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

This Page Blank (uspto)



(11) Publication number : **0 512 729 A1**

(12) **EUROPEAN PATENT APPLICATION**

(21) Application number : **92303792.3**

(51) Int. Cl.⁵ : **A61B 17/22, A61B 17/28**

(22) Date of filing : **27.04.92**

(30) Priority : **03.05.91 US 695222**

(43) Date of publication of application :
11.11.92 Bulletin 92/46

(84) Designated Contracting States :
AT BE CH DE DK ES FR GB GR IT LI LU MC NL PT SE

(71) Applicant : **VANCE PRODUCTS
INCORPORATED d/b/a COOK UROLOGICAL
INCORPORATED
1100 West Morgan Street P.O. Box 271
Spencer Indiana 47460 (US)**

(72) Inventor : **Denson, Cynthia E.
12652 B East Warren Drive
Aurora, Colorado 80014 (US)
Inventor : James, Benjamin F.
3111 South Leonard Springs Road, Apt. No.
135
Bloomington, Indiana 47403 (US)**

(74) Representative : **Johnston, Kenneth Graham
5 Mornington Road
Woodford Green Essex, IG8 OTU (GB)**

(54) **Surgical instrument and method of use.**

(57) An endoscopic surgical instrument (10) having a pliable plastic material basket (11) and method for manipulating soft tissue positioned in the basket. The surgical instrument comprises an elongated member tube (14) having a collapsible, bulbous-shaped basket (11) positioned at and formed from longitudinal strips (19-22) slit in the distal end of the tube. The basket is collapsed and positioned in an introducer sheath (12) for introduction into a body cavity via a minimally invasive access sheath. The tube further includes a stylet rod (23) positioned at the proximal end for stiffening the tube and extending the basket from the distal end of the introducer sheath when in the body cavity. When positioned in the body cavity, the basket is extended from the introducer sheath and positioned around a soft tissue organ such as an ovary for subsequent manipulation. The proximal end of the basket is partially retracted into the introducer sheath to securely position the ovary within the basket. To maintain the basket in a partially retracted position, a slideable clamp (26) is positioned around the proximal end of the tube to engage a stop (27) positioned at the proximal end of the introducer sheath to fixedly and longitudinally position the basket and introducer sheath relative to each other.




Fig.1

EP 0 512 729 A1

Jouve, 18, rue Saint-Denis, 75001 PARIS

This invention relates to surgical instruments.

A number of percutaneous surgical instruments are presently available for removing calculi from, for example, the urinary system. These surgical instruments typically include a wire basket extending from the distal end thereof for capturing and retaining calculi therein. However, these wire baskets are susceptible to causing trauma to surrounding tissue particularly when utilized in other percutaneous procedures such as in percutaneous gynaecological procedures. These gynaecological procedures typically involve grasping and manipulating soft tissue. The use of wire baskets for manipulating ovaries and other soft organs can easily result in undesired trauma. These resilient wire baskets are commonly collapsed and inserted into an introducer sheath and extended therefrom to assume their preformed shape when positioned at the treatment site. Alternatively, longitudinal slits are made about the distal end of a plastic tube and a control wire is inserted in the lumen thereof and attached to the distal end for opening and closing the longitudinal strips in the tubing formed as a result of the slits. Although well-suited for capturing urinary system calculi, the control wire of these plastic baskets prevents easy entry of soft tissue such as ovaries into the basket. Furthermore, the control wire can easily cause trauma to the soft tissue. The longitudinal plastic strips of the basket are usually of a high durometer for maintaining capture of a calculus and, as a result, can also easily cause trauma to the soft tissue.

Examples of surgical instruments are disclosed in U.S. Patent No.4,611,594, U.S. Patent No.2,556,783, and U.S. Patent No.4,807,626, which latter patent discloses a basket which is expandable by tensioning a control line. Unfortunately, the control line limits the effective volume within the chamber. As a result, retaining an object in the chamber interferes with the tensioning and releasing of the control line. Another problem with this device is that force must be applied to both open the basket and maintain closure of the basket when calculi are contained therein and being extracted.

According to the present invention there is provided a surgical instrument as defined in claim 1.

In an embodiment of the invention, the surgical instrument has a pliable plastic material basket having a collapsible, bulbous-shape formed about the distal end thereof for atraumatically capturing and manipulating soft tissue or an organ such as an ovary in delicate gynaecological endoscopic surgical procedures. The surgical instrument is insertable through a minimally invasive surgical access sheath for manipulating the soft tissue. The instrument comprises an elongated member which preferably has a longitudinal passageway extending therein. The basket is positioned about the distal end of the elongated member and includes a plurality of strips of pliable plastic

material positioned about the distal end of the elongated member. The basket can be part of the elongated member when in tubular form. The strips of the basket are preformed into a bulbous shape and are collapsible for positioning in an introducer sheath.

The pliable plastic surgical instrument further includes an introducer sheath having a longitudinal passageway extending therethrough for positioning the basket therein in a collapsed state therein and introducing the basket into a cavity through the access sheath. When introduced into the cavity, the plastic basket automatically expands to resume its bulbous shape without any outside assistance such as a control line. Soft tissue such as an ovary is introduced into the basket between the strips and captured therein for subsequent manipulation. The basket may be advantageously further opened by applying a force to a small portion of the elongated member extending from about the distal end of the basket and elongated member. The preformed bulbous shape and soft material of the basket advantageously minimize trauma to the captured and manipulated tissue as well as surrounding tissue. When the soft tissue is captured in the basket, the proximal end of the basket is partially retracted into the introducer sheath to securely position the tissue within the basket.

The instrument further includes a collar about the proximal end of the introducer sheath and a longitudinally adjustably positionable clamp positioned around the proximal end of the elongated member for engaging the collar and maintaining the soft tissue within the partially retracted basket.

The basket is comprised of a plurality of longitudinal strips positioned about or at the distal end of the elongated member and comprises, for example, a soft polyurethane plastic material for minimizing trauma to soft tissue. The introducer sheath is formed of a polytetrafluoroethylene material for easily sliding the sheath and collapsed basket through the access sheath. The number of longitudinal strips is preferably four for securely grasping and manipulating the organ. However, three strips may be easily provided for engaging extremely large soft tissue organs. The basket may also be easily opened by pushing the distal end thereof with another instrument or other soft tissue for further opening and spreading apart the longitudinal strips.

Brief description of the drawings

FIG.1 depicts an illustrative surgical instrument of the present invention having a pliable plastic material basket in a preformed open position;
FIG.2 depicts the instrument of FIG.1 with the basket in a collapsed state positioned in the introducer sheath;
FIG.3 depicts the instrument of FIG.1 with the basket of the instrument being extended from the

introducer sheath after being introduced in a body cavity through an access sheath;

FIG.4 depicts the extended basket of FIG.3 being further opened for capturing a soft tissue organ; and

FIG.5 depicts the extended basket of FIG.4 partially retracted into the distal end of the introducer sheath for manipulating the soft tissue organ.

Detailed description

Depicted in FIG.1 is a preferred embodiment of an illustrative endoscopic surgical instrument 10 having a preformed pliable plastic material basket 11 which is collapsible within introducer sheath 12 for insertion through a minimally invasive access sheath into a cavity of a patient. When introduced into the cavity of the patient, the basket is extended from the distal end of the introducer sheath to assume a preformed bulbous shape. The preformed basket is positioned about distal end 13 of elongated member tube 14 of pliable plastic material such as polyurethane. The elongated member includes distal end 13, proximal end 15, and longitudinal passageway (16) extending therethrough. For percutaneous insertion through an access sheath into the patient's body cavity, the elongated member tube is positioned within the longitudinal passageway of introducer sheath 12 and extends from distal end 17 and proximal end 18. When extended from the distal end of the introducer sheath, preformed basket 11 assumes a preformed bulbous shape formed from a plurality of longitudinal strips 19-22 of the pliable plastic material about the distal end of the elongated member. The preformed bulbous shape is formed by placing the longitudinal strips around a form and applying heat such as steam to the polyurethane material. Each of the strips has been pre-treated in such a way that the characteristics of the strips themselves have been altered. When fully expanded in the preformed shape, the basket includes a highly elongated chamber within the strips for surrounding soft tissue or an organ such as an ovary. The pliable plastic material strips atraumatically capture the soft tissue organ for subsequent manipulation when the proximal end of the basket is partially retracted into the introducer sheath. When captured within the basket, the soft tissue organ may be easily and atraumatically manipulated or repositioned for more direct visualization or convenient access with other endoscopic surgical instruments.

Elongated member 14 is formed from a pliable plastic material, preferably tubular, and of approximately 50cms. in length with a 12 French outside diameter (0.156") and an inside diameter of 0.254cms. (0.1"). A 30 cms. long stainless steel stylet rod 23 having a 0.173cms. (0.068") diameter is inserted into, passageway 16 about proximal end 15 of the elongated member tubing to stiffen the pliable mate-

rial tubing for controlling introduction of the tubing into the proximal end of the introducer sheath. A commercially available proximal end connector 24, is fixedly positioned about the proximal end of the elongated member tubing through which the stylet rod is inserted and fixedly positioned with proximal end cap 25. The proximal end cap is a pin vise having a connector portion mating with proximal end connector 24 which is commercially available from Sabin Corporation, Bloomington, Indiana, or alternatively is moulded on to the proximal end of the stylet rod. Adhesive is applied to the proximal end cap and connector to fixedly position the two components together.

The surgical instrument further includes a releasable clamp 26 that is longitudinally slideable and adjustable along the length of the elongated member about the proximal end thereof. Releasable clamp 26 is commercially available, for example, from Halkey Medical of St. Petersburg, Florida. The clamp is slideable along the length of the proximal end of the elongated member to fixedly position the proximal end of the basket within the distal end of the introducer sheath. Introducer sheath includes a commercially available stop 27 such as a modified Molnar disk available from Vesta Corporation of Glendale, Wisconsin, positioned about proximal end 18. The stop and releasable clamp engage each other to prevent distal longitudinal withdrawal of the basket with the soft tissue therein from the distal end of the introducer sheath.

Introducer sheath is comprised of a polytetrafluoroethylene material tube approximately 33cms. in length and having an outside diameter of 13 French (0.194") and an inside diameter of 0.442cm. (0.174"). The introducer sheath is made of a rigid material and has a slick outside surface for sliding easily into and through the minimally invasive access sheath.

Preformed basket 11 in an open position is approximately 5.2cms. in length with a 3.4cms. diameter. The basket is formed into a bulbous, ellipsoidal shape for further expansion and entry of soft tissue organs therein. A short portion 28 of approximately 5mms. in length elongated member tubing extends from the distal end of the basket to the distal end of the tube. This short portion of tubing is formed by heating, moulding, and buffing the distal end of the tubing to a rounded surface for engagement against other tissue in the cavity or another surgical instrument. When the short portion is engaged, the strips of the bulbous-shaped basket are spread further apart to receive large soft tissue organs such as an ovary therein. Alternatively, basket 11 may be formed of a soft plastic material and attached at the distal end of a stiffer material elongated member. As a result, the stiffer elongated member need not have the stylet rod positioned at the proximal end thereof and need not be tubular.

The method of manipulating soft tissue such as

an ovary with minimally invasive surgical instrument 10 includes introducing access sheath 30 percutaneously through abdominal wall 31 into cavity 32 as depicted in FIG.2. Basket 11 in a collapsed state is positioned into longitudinal passageway 33 of introducer sheath 12 as shown. The introducer sheath is introduced through the access sheath and into body cavity 32. When basket 11 is positioned in the introducer sheath, the stylet rod, which is proximally positioned in elongated member 14, extends into introducer sheath passageway 33 about proximal end 18. This may be helpful in allowing the physician to extend the basket from distal end 17 of the introducer sheath into the body cavity to assume its preformed bulbous shape.

Depicted in FIG.3 is basket 11 in its preformed bulbous shape extended into body cavity 32 from distal end 17 of introducer sheath 12. The basket is extended from the distal end of the introducer sheath by the physician pushing proximal end 15 of elongated member tube 14 into proximal end 18 of the introducer sheath, thereby extending the basket from the distal end of the introducer sheath.

Depicted in FIG.4 is basket 11 in body cavity 32 with strips 19-22 being further spread apart for capturing ovary 34 therein. Distal portion 28 further spreads the strips of the bulbous, ellipsoidal shaped basket further apart by engaging soft tissue 35 within the cavity or another endoscopic instrument inserted in the cavity. Ovary 34 is positioned within the basket, and the longitudinal strips allowed to collapse around the ovary. As a result, the ovary is easily manipulated to allow the physician to better visualize irregularities such as cyst 29 thereon.

Depicted in FIG.5 is ovary 34 within basket 11 with longitudinal strips 19-21 (22 not shown) partially retracted into distal end 17 of introducer sheath 12. The partially retracted basket permits the longitudinal strips of the basket to securely and atraumatically engage ovary 34. To fixedly position the relative longitudinal position of the basket with the ovary therein with respect to the introducer sheath, slideable clamp 26 is slid along proximal end 15 of elongated member tube 14 to engage stop 27 about proximal end 18 of the introducer sheath. This allows the physician to manipulate the surgical instrument with the ovary fixedly positioned within the basket thereof.

The particular preformed bulbous shape of the basket may be elongated or shortened or extended into a larger spherical shape to capture and manipulate various size soft tissue organs atraumatically. Furthermore, the basket may be utilized to capture and retrieve other tougher tissue such as fibrous tumours, myomas, muscle, etc., that may be encountered in minimally invasive surgical procedures.

Claims

1. A surgical instrument for manipulating soft tissue in a body cavity during minimally invasive surgery, said instrument comprising an elongated member (14) having proximal (15) and distal (17) ends, and a basket (11) comprising a plurality of resilient strips (19-22) at the said distal end, characterised in that the said strips have been pre-treated in such a way that when they are released from a collapsed condition into the body cavity, they spring or automatically form into a predetermined bulbous shape.
2. The instrument of claim 1, further characterised by an introducer sheath (12) having a longitudinal passageway (33) extending therethrough, said basket in a collapsed state and said elongated member being insertable through said passageway of said introducer sheath.
3. The instrument of claim 2, characterised in that the elongated member has an internal passageway, and in that a stylet (23) is positioned about said proximal end of said elongated member and extends into the passageway of said introducer sheath when said basket in said collapsed state is positioned in said introducer sheath.
4. The instrument of claim 2 or 3, further characterised by a collar (27) fixedly positioned about said proximal end of said introducer sheath.
5. The instrument of claim 4, further characterised by a clamp (26) adjustably positionable longitudinally about said proximal end of said elongated member for engaging said collar, and optionally comprising a connector (24) fixedly positioning said stylet about said proximal end of said elongated member.
6. The instrument of claim 1, characterised in that said elongated member includes a portion (28) extending between said distal end and said basket for engaging tissue and enlarging said basket when longitudinal pressure is applied to said portion.
7. The instrument of any one preceding claim, characterised in that the basket includes three or four longitudinal strips.
8. The instrument of any one preceding claim, characterised in that the elongated member is of plastic material, and optionally of polyurethane, and in that the introducer sheath is optionally of polytetrafluoroethylene.

9. A method of manipulating soft tissue with a pliable plastic surgical instrument inserted through an access sheath, said instrument comprising an elongated member having a distal end and a basket formed from a pliable plastic material at said distal end, characterised in that said basket is formed from a plurality of strips at said distal end of said elongated member and having a preformed, resilient, collapsible bulbous shape, said instrument further comprising an introducer sheath having a longitudinal passageway extending therethrough, and in that the method comprises the steps of: introducing said access sheath into a cavity of a patient; introducing said introducer sheath with said basket in a collapsed state throughpp said access sheath into said cavity; extending said basket from said introducer sheath into said cavity, said basket assuming said bulbous shape when extended from said introducer sheath; positioning said soft tissue in said basket; and partially retracting said basket with said soft tissue therein into said introducer sheath.
10. The method of claim 9, characterised in that said soft tissue is positioned in said basket by spreading said longitudinal strips of said basket further apart, and in that the method optionally further comprises fixedly positioning the relative longitudinal position of said basket with said soft tissue therein with respect to said introducer sheath, said step of fixedly positioning said basket with respect to said introducer sheath optionally including positioning a clamp about a proximal end of said elongated member and engaging a collar fixedly positioned about a proximal end of said introducer sheath.
11. A pliable plastic surgical instrument insertable through an access sheath for manipulating soft tissue, comprising: an elongated member having a distal end, and a proximal end; an introducer sheath having a longitudinal passageway extending therethrough; and a basket at said distal end of said elongated member, including a plurality of strips formed from a pliable plastic material and having a preformed bulbous shape and being in a collapsed state when positioned in said passageway of said introducer sheath.

5

10

15

20

25

30

35

40

45

50

55

5








Fig. 3





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 92 30 3792

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
X	EP-A-0 160 870 (VAN-TEC) * Page 3, line 31 - page 4, line 13; figures 1-3 * ---	1,2,4-7	A 61 B 17/22 A 61 B 17/28
X	DE-A-3 709 706 (OLYMPUS) * Column 11, lines 9-64; column 13, lines 15-19; figures 17,19 * -----	1,2,4,5 ,8,11	
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			A 61 B
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 06-08-1992	Examiner MOERS R.J.
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application I : document cited for other reasons ----- & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03.82 (P0401)